

Red Howk

A New Dark Red
Kidney Bean

for Michigan

- · Erect bush habit similar to that of Sacramento light red kidney bean.
- · Similar in height and flower color to Montcalm.
- · More erect plant and better dry-down than Montcalm.
- · Five days earlier in maturity than Montcalm.
- · Outyielded Montcalm by 5 percent over 35 locations in seven years.
- Resistant to mosaic virus, rust and Races 7 and 73 of anthracnose.
- Equivalent to Isles in resistance to halo blight.
- · Excellent canning quality similar to that of Montcalm.

Red Hawk is a new dark red kidney bean variety from Michigan State University. It was released jointly by the Michigan Agricultural Experiment Station and the U.S. Department of Agriculture's Agricultural Research Service. Red Hawk is a high-yielding variety with an upright bush growth habit, mid- to full-season maturity, resistance to Races 7 and 73 of anthracnose, and excellent canning quality.

Origin and breeding history

A STATE OF THE PARTY OF THE PAR

Red Hawk, tested as MSU No. K90101, was developed from the cross of the dark red kidney bean varieties Charlevoix and Montcalm, followed by a backcross of the F₁ to Montcalm. The crossing sequence was:

Charlevoix/2*Montcalm. The objective of the cross was to combine the earliness and anthracnose resistance of Charlevoix with the superior canning quality and halo blight resistance of the Montcalm parent. One backcross to Montcalm was used to maintain the quality traits. The cross was made in 1988 and advanced to the F₆ generation when breeding line K90101 was entered into yield trials in 1990.

Yield performance

Land to the state of the state of

Red Hawk was tested extensively for yield and agronomic traits for seven seasons (1990-96) over 36 locations (Table 1). It averaged 22 cwt/acre and outyielded all commercial dark red kidney bean varieties by a margin of 2 to 11 percent. In the absence of disease such as blight and white mold, Red Hawk has produced yields in excess of 32 cwt/acre and has outyielded the

Michigan State University Extension

Extension Bulletin E-2628

New, July 1997

Montcalm parent by 5 percent (1 cwt/acre) over 35 locations. Red Hawk has been competitive with the full-season high-vielding variety Isles and outvielded the early-season variety Drake by 11 percent (2.5 cwt/acre) over 12 locations.

Agronomic features

Red Hawk exhibits an erect bush growth habit averaging 20 inches in height and has improved resistance to lodging compared with Montcalm, with a score of 2 vs 2.5 for Montcalm on a 1 to 5 scale where 1 is the most erect. It has a white flower similar to that of Montcalm with a faint pink blush on the wings of the blossom. Isles and Drake have pink flowers.

Red Hawk is a mid- to full-season variety, maturing 99 days after planting with a range in maturity from 95 to 102 days, depending on season and location. It matures five days earlier than Montcalm, one day earlier than Isles and three days later than Drake. Red Hawk has demonstrated uniform maturity and excellent dry-down across a broad range of environments and fits a niche for an erect, highyielding, mid- to full-season dark red kidney bean variety in Michigan.

Disease resistance

Red Hawk carries the single dominant hypersensitive I gene resistance to bean common mosaic virus (BCMV) but is sensitive to the temperature-insensitive

Table 1. Red Hawk dark red kidney bean - comparison of agronomic, disease, performance and canning characteristics.

Traits	Red Hawk	Montcalm	Isles	Drake
Agronomic traits				
Days to flower	42	43	43	41
Days to mature	99	104	100	97
Height (cm)	51	52	51	49
Lodging score (1-5)	2.0	2.5	2.5	2.5
Selection index (1-9)	5.5	4.5	5.0	4.5
Seed size (g/100 seeds)	62	63	67	64
Yield (percent)	100	95	98	89
Disease resistance		45.0% 国际管		
BCMV	R	R	R	R
Anthracnose race 7	R	S	R	S
Anthracnose race 73	R	R	R	R
Rust race 53	R	Ř	R	R
Common blight	T	T	I	S
Halo blight	4	2	5	9
White mold (1-5)	3	3	- 3	3
Canning quality		生。在李星星		
Color L-scale	14	14	14	15
Texture (kg/100 g)	79	85	82	106
Vashed drained ratio	1.6	1.5	1.6	1.7
Hydration ratio	1.5	1.5	1.5	1.4
Organoleptic rating (1-5	STREET, STREET	4,0	3.8	3.6

Lodging: 1 = erect, 5 = prostrate

Selection index: 1 = worst, 5 = average, 9 = best, based on adaptation


Diseases: R = resistant, T= tolerant, S = susceptible

Halo blight: 1 = resistant, 5 = intermediate, 9 = susceptible

White mold: 1 = resistant, 5 = susceptible

Organoleptic rating: 1 = worst, 5 = best on general cooked appearance

necrosis-inducing strains of BCMV, which cause the black root reaction. Red Hawk carries the combination of the Co-1 and Co-2 genes for resistance to all known races of anthracnose in North America, including Races 7 and 73, which are present in Michigan. Isles possesses similar levels of resistance to anthracnose, whereas Montcalm is susceptible to Race 7. Red Hawk is immune to the rust races prevalent in Michigan. Red Hawk has shown tolerance to halo blight and common blight equivalent to that of Isles but is susceptible to Michigan isolates of root rot (primarily Fusarium). All dark red kidney varieties show similar intermediate levels of tolerance to white mold.



STATE OF THE PARTY OF THE PARTY

Red Hawk has a typical dark red kidney bean seed averaging 62 g per 100 seeds and is equivalent in size, shape and color to Montcalm. In canning trials, Red Hawk scored 4.3 on a 5 point hedonic scale (where 5 is best). This evaluation is based on whole bean integrity (no splitting nor clumping), uniformity of size (uniform water uptake), color (no after-darkening) and clear brine (no starch extruded into canning liquid). After it is processed, Red Hawk is equivalent to Montcalm in cooking quality and does not differ significantly from other commercial dark red kidney bean cultivars for cooked color, texture, hydration and drained weight ratios.

Release and research assessment

AND STREET, ST

Red Hawk is released as a public, nonexclusive variety jointly by the Michigan Agricultural Experiment Station and the Agricultural Research Service. A research fee will be assessed on each unit (hundredweight) of certified seed sold.

By J.D. Kelly and L.O. Copeland,

Department of Crop and Soil Sciences,

R.A. Long and D.J. Glenn,

MSUE, Presque Isle County



MSU is an Affirmative-Action/Equal-Opportunity Institution. Extension programs and materials are available to all without regard to race, color, national origin, sex, disability, age or religion. It issued in furtherance of Extension work in agriculture and home economics, acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture. Arlen Leholm, extension director, Michigan State University, E. Lansing, MI 48824. This information is for educational purposes only. References to commercial products or trade names does not imply endorsement by the MSU Extension or bias against those not mentioned. This bulletin becomes public property upon publication and may be printed verbatim with credit to MSU. Reprinting cannot be used to endorse or advertise a commercial product or company. Produced by Outreach Communications and printed on recycled paper using

vegetable-based inks. New 7:97 - 2M - LJ/SP - Price 25 cents, single copy free to Michigan residents. File 22.21 (Field Crops - Dry Beans)